

Lawyers since 1897

Jo M. Flannery Attorney Of Counsel Ryan, Swanson & Cleveland, PLLC 1201 Third Avenue, Suite 3400 Seattle, WA 98101-3034 206.464.4224 | Fax: 206.583.0359 Toll-free: 1.800.458.5973

www.ryanswansonlaw.com

direct dial 206.654.2241 flannery@ryanlaw.com Ref. No. 1780160.01/015435.00010

October 9, 2018

Michelle Mullin, Project Manager Dave Bartus, Interim Project Manager U.S. Environmental Protection Agency - Region 10 1200 Sixth Avenue, Suite 900, OCE-084 Seattle, WA 98101

Re: Rainier Commons Phase I Close Out Report – Supplement to Response to Request for Additional Information

Dear Ms. Mullin and Mr. Bartus,

We recently provided the responses and additional information that EPA requested in connection with your review of the Rainier Commons IPWP Phase I Close Out Report. With respect to substrate testing, two of the samples collected came back with results at 1.1 ppm and 1.6 ppm PCBs, just slightly exceeding the level allowed for wholly unrestricted High Occupancy use. While these areas are Low Occupancy areas, under the PCB regulations, it was unclear whether the full EPA protocol for gathering these samples for porous substrate material had been performed, when those samples were first collected. Therefore, Rainier Commons collected additional substrate samples from those two areas, co-located just adjacent to the original samples.

The results of the additional substrate samples are non-detect for PCBs. One sample is concrete and one sample is sandstone. The field notes and photographs documenting this additional sampling are attached hereto as a supplement to the Phase I Close Out Report.

Please let us know if you have any additional questions on the Close Out Report.

Very truly yours,

RYAN, SWANSON & CLEVELAND, PLLC

Jo M. Flannery Attorney Of Counsel

Charter Member of TAGLaw, a worldwide network of law firms

Page 2

JMF:rw Enclosure cc: Alex Fidis, EPA Regional Counsel

Rainier Commons Exterior Paint Removal Project

Dally Observations & Activity Report (Note Date Report Stand Dage Son each cheef)

	SANTE RELET LIEBALE M.	and Lage agus doner arread	
Criste_	9-27-18	Delly Report #) Mil

0700

•	Along Spin, Cally Chine markers and Additions)
9700	TWO OF EIGHT PREVIOUSLY SAMPLED - POST
	CLEARANCE - SUBSTRATE SAMPLES CONTAINED
	PCB LEVELS SLIGHTLY HIGHER THAN I PPM.
	DOCUMENTATION AND PHOTOS ARE SOMEWHAT
	UNCLEAR WHETHER THE "EPA SOP FOR SAMPLING
	POUROUS SURFACES FOR POLYCHLORINATED BI-
	"PHENOLS" WERE FOLLOWED AS TO EACH
	COMPONENT OF THE SAMPLING PROCEDURE.
	PARTICULARLY AS IT PERTAINS TO SURFACE.
	PREPARATION - SECTION 9.1.1. THEREFORE,
	WE WILL RETEST THE TWO SAMPLED AREAS
	IN QUESTION.
0730	YOUVAL AND I LOCATED THE PREVIOUS SAMPLE
	COLLECTION AREA FOR BUILDING 13, WEST
	ELEVATION
0735	A CLEAN, NYLON BRISTLE BRUSH WAS USED
	TO REMOVE ANY DEBRIS FROM THE SAMPLE
	AREA. THE BRUSH WAS THEN RINSED WITH

MEPECTOR

Signature

Daily Observation / Activity Report (Version 1) (6-11-14) e include reasons for non-satisfactory responses noted in Dally inspection Checklist

If referring to any item from Daily inspection Checklist, give row #

. Submit Daily Inspection Checklist and Daily Observations/Activity Report along with sample submission and data sheets to NVL Laba

Rainier Commons Exterior Paint Removal Project

Daily Observations & Activity Report

(Note Date, Report # and Page #on each sheet) Daily Report it

0735 CONT.	XYLENE FOR SUBSEQUENT USE.
0740	. / - /
	APPLIED TO THE WALL SURFACE TO "CATCH"
	THE SUBSTRATE DUST GEALERATED BY DRIVIAL
0945	A 3/8" DIA. ROTO-HAMMER BIT WAS CLEANED
	WITH XYLENE AND AN UN-USED CLOTH RAG
	PRIDE TO USE.
0750	TWO HOLES ~ 1/2" DEEP WERE DRILLED.
	ADJACENT TO THE OLD TEST HOLES AND THE
	DUST COLLECTED INTO A PLASTIC SAMPLE
	BAG. SAMPLE # 92718DL-PCB13
0755	THE ROTO-HAMMER BIT WAS CLEANED WITH
	XYCENE USING A NEW RAGS. CLEANING
ļ	RAGS AND MASKING WERE COLLECTED FOR
-	PROPER DISPOSAL
0800	LOCATED THE PREVIOUS SAMPLE COLLECTION
	AREA FOR SANDSTONE ON BUILDING 11,
L	WEST ELEVATION.
	INSPECTOR
762	defund 9-27-18
•	
19	Dally Observation / Activity Report (Version 1) (6-11-14)

include reasons for non-satisfactory responses noted in Daily Inspection Checklist

If referring to any item from Daily Inspection Checklist, give row #

Submit Daily Inspection Checklist and Daily Observations/Activity Report along with sample submission and data sheats to NVL Labs

Rainier Commons Exterior Paint Removal Project

Dally Observations & Activity Report (Note Date, Report # and Page #on each sheet)


9-27-18 Delly Report &

	LANGUAGE ON PARTY CHARLES SAME LANGUAGE AND A SAME AND
0805	THE PREVIOUSLY CLEANED MYLON BRUSH
	WAS USED TO REMOVE ANY DEBRIS.
0810	NEW MASKING PAPER AND TAPE WAS
	APPLIED TO THE SANDSTONE TO FORM A DAM
nair	TO CATCH THE SUBSTRATE DUST
0015	TWO HOLES = 1/2" DEEP WERE DRILLED NEAR
	THE ORIGINAL TEST HOLES. THE DUST WAS
	COLLECTED INTO A PLASTIC SAMPLE BAGE.
DON	SAMPLE # 92718DL-PCBII
0825	CLEANED THE ROTO-BIT WITH XYLENE.
	COLLECTED MASKING AND RAGS AND DIAGO
	THEM IN ON-SITE HAZ-MAT STORAGE BOX
1400	AMADEA CONTRACTOR CONT
1400	TOOK SAMPLES TO NULLAR FOR TESTING
ł	
£	INSPECTOR
	Signature 9:27-18
	Daily Observation / Activity Report (Version 1) (6-11-14)

o include reasons for non-satisfactory responses noted in Dally inspection Checklet

o if referring to any item from Daily Inspection Checklist, give row #

Submit Daily Inspection Checklist and Daily Observations/Activity Report along with sample submission and data sheets to NVL Labs



Location of previous concrete samples taken for the west elevation of Building 13


^{*}On this and subsequent photographs, the blue cast/tinting is an artifact of the photographic process and is not indicative of actual colors.




Cleaning of concrete substrate utilizing USEPA SOP for Sampling Porous Surfaces for Polychlorinated Biphenyls, Section 9.1.1



Collection of concrete substrate utilizing USEPA SOP for Sampling Porous Surfaces for Polychlorinated Biphenyls, Section 9.1.4. The retest samples were co-located with previous samples.



Cleaning roto-hammer bit after each sample to eliminate risk of cross-contamination between samples



Location of sampling area on Building 11's west elevation.



Previous sampling locations are identified by gloved hand. New sample to be taken just above the blue tape. Spacing between samples is for esthetic purposes.



Cleaning of sandstone substrate utilizing USEPA SOP for Sampling Porous Surfaces for Polychlorinated Biphenyls, Section 9.1.1



 $\hbox{Collection of sandstone substrate utilizing USEPA SOP for Sampling Porous Surfaces for Polychlorinated Biphenyls, Section 9.1.4 } \\$